



STANDARDSMARK LICENCE

SAI Global hereby grants:

Rifeng Enterprise Group Co.,Ltd.

5/F, Rifeng Building, 16 Zumiao Road, Foshan, Guangdong China

StandardsMark Licence

Manufactured to:

NBR 15939-1:2011 - Plastics Piping Systems For Hot And Cold Water Installations - Crosslinked Polyethylene (Pe-X) - Part 1: Requirements And Test Methods

"the StandardsMark Licensee" the right to use the STANDARDSMARK as shown below only in respect of the goods described and detailed in the Schedule which are produced by the Licensee or on behalf of the Licensee* and which comply with the appropriate Standard referred to above as from time to time amended. The Licence is granted subject to the rules governing the use of the STANDARDSMARK and the Terms and Conditions for certification and licence. The Licensee covenants to comply with all the Rules and Terms and Conditions.

Licence No: SMKP25630

Issued : 5 February 2022

Expires : 22 August 2027

Originally Certified : 23 August 2012

Current Certification : 2 February 2022

Calin Moldovean
President, Business Assurance
SAI Global Assurance



Australian
Standard

* For details of manufacture, refer to the licensee

The STANDARDSMARK is a registered certification trademark of SAI Global Pty Limited (A.C.N. 050 644 642) and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com, for the list of product models.

 **SAI GLOBAL**
INFORM. INSPIRE. IMPROVE.

SCHEDULE TO STANDARDSMARK LICENCE

SAI Global hereby grants:

Rifeng Enterprise Group Co.,Ltd.

5/F, Rifeng Building, 16 Zumiao Road, Foshan, Guangdong China

StandardsMark Licence

Manufactured to:

NBR 15939-1:2011 - Plastics Piping Systems For Hot And Cold Water Installations - Crosslinked Polyethylene (Pe-X) - Part 1: Requirements And Test Methods

Model identification of the goods on which the STANDARDSMARK may be used:

Model ID	Brand Name	Description	Nominal Size (DN)	PN	Product Application	Material Designation	Colour	Date Endorsed
PEX-b 12*1.1	RIFENG	PEX-b Pipe	12	600 KPa	hot and cold water	PEX-b	Transparent/Red/Blue/white	22 Aug 2012
PEX-b 16*1.5	RIFENG	PEX-b Pipe	16	600 KPa	hot and cold water	PEX-b	Transparent/Red/Blue/white	22 Aug 2012
PEX-b 16*1.8	RIFENG	PEX-b Pipe	16	600 KPa	hot and cold water	PEX-b	Transparent/Red/Blue/white	22 Aug 2012
PEX-b 20*1.9	RIFENG	PEX-b Pipe	20	600 KPa	hot and cold water	PEX-b	Transparent/Red/Blue/white	22 Aug 2012
PEX-b/EVOH-12*1.1	RIFENG	PEX-b Pipe with EVOH	12	600 KPa	hot and cold water	PEX-b with EVOH	Transparent/Red/Blue/white	22 Aug 2012
PEX-b/EVOH-16*1.5	RIFENG	PEX-b Pipe with EVOH	16	600 KPa	hot and cold water	PEX-b with EVOH	Transparent/Red/Blue/white	22 Aug 2012
PEX-b/EVOH-16*1.8	RIFENG	PEX-b Pipe with EVOH	16	600 KPa	hot and cold water	PEX-b with EVOH	Transparent/Red/Blue/white	22 Aug 2012
PEX-b/EVOH-20*1.9	RIFENG	PEX-b Pipe with EVOH	20	600 KPa	hot and cold water	PEX-b with EVOH	Transparent/Red/Blue/white	22 Aug 2012
PEX-b/EVOH-25*2.3	RIFENG	PEX-b Pipe with EVOH	25	600 KPa	hot and cold water	PEX-b with EVOH	Transparent/Red/Blue/white	22 Aug 2012
PEX-b/EVOH-32*2.9	RIFENG	PEX-b Pipe with EVOH	32	600 KPa	hot and cold water	PEX-b with EVOH	Transparent/Red/Blue/white	22 Aug 2012
PEX-b-25*2.3	RIFENG	PEX-b Pipe	25	600 KPa	hot and cold water	PEX-b	Transparent/Red/Blue/white	22 Aug 2012
PEX-b-32*2.9	RIFENG	PEX-b Pipe	32	600 KPa	hot and cold water	PEX-b	Transparent/Red/Blue/white	22 Aug 2012
PF3-L12(1.1)*1/2	RIFENG	Adaptor	12	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L12(1.1)*1/2F	RIFENG	Adaptor	12	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L12(1.1)*1/2F(H)	RIFENG	Adaptor	12	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L12(1.1)*1/2F(Z)	RIFENG	Adaptor	12	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L12(1.1)*1/2F(Z)(y20)	RIFENG	Adaptor	12	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L12(1.1)*1/2(1.1)	RIFENG	Adaptor	12	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L12(1.1)*3/4	RIFENG	Adaptor	12	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L12(1.1)*3/4F	RIFENG	Adaptor	12	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L12(1.1)*3/4F(H)	RIFENG	Adaptor	12	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L12(1.1)*3/4F(Z)	RIFENG	Adaptor	12	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L12(1.1)*3/4F(Z)(y20)	RIFENG	Adaptor	12	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L12(1.1)*3/8	RIFENG	Adaptor	12	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L12(1.1)*3/8F	RIFENG	Adaptor	12	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L12(1.1)*3/8F(H)	RIFENG	Adaptor	12	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L12(1.1)*3/8F(Z)	RIFENG	Adaptor	12	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012

Licence No: SMKP25630

Issued Date: 5 February 2022

This schedule supersedes all previously issued schedules



* For details of manufacture, refer to the licensee

The STANDARDSMARK is a registered certification trademark of SAI Global Pty Limited (A.C.N. 050 644 642) and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to the Schedule for the list of product models.

SCHEDULE TO STANDARDSMARK LICENCE

Model ID	Brand Name	Description	Nominal Size (DN)	PN	Product Application	Material Designation	Colour	Date Endorsed
PF3-L12(1.1)*3/8F(Z)(y20)	RIFENG	Adaptor	12	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L16(1.8)*1/2	RIFENG	Adaptor	16	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L16(1.8)*1/2F	RIFENG	Adaptor	16	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L16(1.8)*1/2F(H)	RIFENG	Adaptor	16	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L16(1.8)*1/2F(Z)	RIFENG	Adaptor	16	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L16(1.8)*1/2F(Z)(y20)	RIFENG	Adaptor	16	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L16(1.8)*12(1.1)	RIFENG	Adaptor	16*12	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L16(1.8)*16(1.8)	RIFENG	Adaptor	16	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L16(1.8)*3/4	RIFENG	Adaptor	16	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L16(1.8)*3/4F	RIFENG	Adaptor	16	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L16(1.8)*3/4F(H)	RIFENG	Adaptor	16	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L16(1.8)*3/4F(Z)	RIFENG	Adaptor	16	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L16(1.8)*3/4F(Z)(y20)	RIFENG	Adaptor	16	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L16(1.8)*3/8	RIFENG	Adaptor	16	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L16(1.8)*3/8F	RIFENG	Adaptor	16	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L16(1.8)*3/8F(H)	RIFENG	Adaptor	16	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L16(1.8)*3/8F(Z)	RIFENG	Adaptor	16	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L16(1.8)*3/8F(Z)(y20)	RIFENG	Adaptor	16	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L20(1.9)*1	RIFENG	Adaptor	20	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L20(1.9)*1/2	RIFENG	Adaptor	20	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L20(1.9)*1/2F	RIFENG	Adaptor	20	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L20(1.9)*1/2F(H)	RIFENG	Adaptor	20	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L20(1.9)*1/2F(Z)	RIFENG	Adaptor	20	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L20(1.9)*1/2F(Z)(y20)	RIFENG	Adaptor	20	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L20(1.9)*12(1.1)	RIFENG	Adaptor	20*12	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L20(1.9)*16(1.8)	RIFENG	Adaptor	20*16	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L20(1.9)*1F	RIFENG	Adaptor	20	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L20(1.9)*1F(H)	RIFENG	Adaptor	20	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L20(1.9)*1F(Z)	RIFENG	Adaptor	20	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L20(1.9)*1F(Z)(y20)	RIFENG	Adaptor	20	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L20(1.9)*20(1.9)	RIFENG	Adaptor	20	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L20(1.9)*3/4	RIFENG	Adaptor	20	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L20(1.9)*3/4F	RIFENG	Adaptor	20	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L20(1.9)*3/4F(H)	RIFENG	Adaptor	20	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L20(1.9)*3/4F(Z)	RIFENG	Adaptor	20	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L20(1.9)*3/4F(Z)(y20)	RIFENG	Adaptor	20	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L25(2.3)*1	RIFENG	Adaptor	25	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L25(2.3)*1(Z)(y20)	RIFENG	Adaptor	25	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L25(2.3)*1/2	RIFENG	Adaptor	25	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L25(2.3)*1/2F	RIFENG	Adaptor	25	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L25(2.3)*1/2F(H)	RIFENG	Adaptor	25	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L25(2.3)*1/2F(Z)	RIFENG	Adaptor	25	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L25(2.3)*1/2F(Z)(y20)	RIFENG	Adaptor	25	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012

Licence No: SMKP25630

Issued Date: 5 February 2022

This schedule supersedes all previously issued schedules



* For details of manufacture, refer to the licensee

The STANDARDSMARK is a registered certification trademark of SAI Global Pty Limited (A.C.N. 050 644 642) and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to the Schedule for the list of product models.

SCHEDULE TO STANDARDSMARK LICENCE

Model ID	Brand Name	Description	Nominal Size (DN)	PN	Product Application	Material Designation	Colour	Date Endorsed
PF3-L25(2.3)*12(1.1)	RIFENG	Adaptor	25*12	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L25(2.3)*16(1.8)	RIFENG	Adaptor	25*16	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L25(2.3)*1F	RIFENG	Adaptor	25	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L25(2.3)*1F(H)	RIFENG	Adaptor	25	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L25(2.3)*1F(Z)	RIFENG	Adaptor	25	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L25(2.3)*20(1.9)	RIFENG	Adaptor	25*20	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L25(2.3)*25(2.3)	RIFENG	Adaptor	25	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L25(2.3)*3/4	RIFENG	Adaptor	25	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L25(2.3)*3/4F	RIFENG	Adaptor	25	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L25(2.3)*3/4F(H)	RIFENG	Adaptor	25	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L25(2.3)*3/4F(Z)	RIFENG	Adaptor	25	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L25(2.3)*3/4F(Z)(y20)	RIFENG	Adaptor	25	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L32(2.9)*1	RIFENG	Adaptor	32	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L32(2.9)*1(Z)(y20)	RIFENG	Adaptor	32	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L32(2.9)*16(1.8)	RIFENG	Adaptor	32*16	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L32(2.9)*1F	RIFENG	Adaptor	32	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L32(2.9)*1F(H)	RIFENG	Adaptor	32	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L32(2.9)*1F(Z)	RIFENG	Adaptor	32	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L32(2.9)*20(1.9)	RIFENG	Adaptor	32*20	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L32(2.9)*25(2.3)	RIFENG	Adaptor	32*25	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L32(2.9)*3/4	RIFENG	Adaptor	32	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L32(2.9)*3/4F	RIFENG	Adaptor	32	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L32(2.9)*3/4F(H)	RIFENG	Adaptor	32	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L32(2.9)*3/4F(Z)	RIFENG	Adaptor	32	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L32(2.9)*3/4F(Z)(y20)	RIFENG	Adaptor	32	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-L32(2.9)*32(2.9)	RIFENG	Adaptor	32	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S12(1.1)*1/2	RIFENG	Adaptor	12	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S12(1.1)*1/2(H)	RIFENG	Adaptor	12	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S12(1.1)*1/2F	RIFENG	Adaptor	12	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S12(1.1)*12(1.1)	RIFENG	Adaptor	12	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S12(1.1)*3/4	RIFENG	Adaptor	12	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S12(1.1)*3/4(H)	RIFENG	Adaptor	12	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S12(1.1)*3/4F	RIFENG	Adaptor	12	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S12(1.1)*3/8	RIFENG	Adaptor	12	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S12(1.1)*3/8(H)	RIFENG	Adaptor	12	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S12(1.1)*3/8F	RIFENG	Adaptor	12	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S16(1.8)*1/2	RIFENG	Adaptor	16	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S16(1.8)*1/2F	RIFENG	Adaptor	16	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S16(1.8)*1/2F(H)	RIFENG	Adaptor	16	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S16(1.8)*12(1.1)	RIFENG	Adaptor	16*12	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S16(1.8)*16(1.8)	RIFENG	Adaptor	16	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S16(1.8)*3/4	RIFENG	Adaptor	16	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S16(1.8)*3/4F	RIFENG	Adaptor	16	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012

Licence No: SMKP25630

Issued Date: 5 February 2022

This schedule supersedes all previously issued schedules



* For details of manufacture, refer to the licensee

The STANDARDSMARK is a registered certification trademark of SAI Global Pty Limited (A.C.N. 050 644 642) and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to the Schedule for the list of product models.

SCHEDULE TO STANDARDSMARK LICENCE

Model ID	Brand Name	Description	Nominal Size (DN)	PN	Product Application	Material Designation	Colour	Date Endorsed
PF3-S16(1.8)*3/4F(H)	RIFENG	Adaptor	16	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S16(1.8)*3/8	RIFENG	Adaptor	16	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S16(1.8)*3/8F	RIFENG	Adaptor	16	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S16(1.8)*3/8F(H)	RIFENG	Adaptor	16	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S20(1.9)*1	RIFENG	Adaptor	20	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S20(1.9)*1/2	RIFENG	Adaptor	20	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S20(1.9)*1/2F	RIFENG	Adaptor	20	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S20(1.9)*1/2F(H)	RIFENG	Adaptor	20	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S20(1.9)*12(1.1)	RIFENG	Adaptor	20*12	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S20(1.9)*16(1.8)	RIFENG	Adaptor	20*16	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S20(1.9)*1F	RIFENG	Adaptor	20	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S20(1.9)*1F(H)	RIFENG	Adaptor	20	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S20(1.9)*20(1.9)	RIFENG	Adaptor	20	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S20(1.9)*3/4	RIFENG	Adaptor	20	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S20(1.9)*3/4F	RIFENG	Adaptor	20	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S20(1.9)*3/4F(H)	RIFENG	Adaptor	20	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S25(2.3)*1	RIFENG	Adaptor	25	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S25(2.3)*1/2	RIFENG	Adaptor	25	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S25(2.3)*1/2F	RIFENG	Adaptor	25	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S25(2.3)*1/2F(H)	RIFENG	Adaptor	25	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S25(2.3)*12(1.1)	RIFENG	Adaptor	25*12	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S25(2.3)*16(1.8)	RIFENG	Adaptor	25*16	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S25(2.3)*1F	RIFENG	Adaptor	25	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S25(2.3)*1F(H)	RIFENG	Adaptor	25	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S25(2.3)*20(1.9)	RIFENG	Adaptor	25*20	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S25(2.3)*25(2.3)	RIFENG	Adaptor	25	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S25(2.3)*3/4	RIFENG	Adaptor	25	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S25(2.3)*3/4F	RIFENG	Adaptor	25	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S25(2.3)*3/4F(H)	RIFENG	Adaptor	25	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S32(2.9)*1	RIFENG	Adaptor	32	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S32(2.9)*16(1.8)	RIFENG	Adaptor	32*16	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S32(2.9)*1F	RIFENG	Adaptor	32	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S32(2.9)*1F(H)	RIFENG	Adaptor	32	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S32(2.9)*20(1.9)	RIFENG	Adaptor	32*20	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S32(2.9)*25(2.3)	RIFENG	Adaptor	32*25	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S32(2.9)*3/4	RIFENG	Adaptor	32	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S32(2.9)*3/4F	RIFENG	Adaptor	32	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S32(2.9)*3/4F(H)	RIFENG	Adaptor	32	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-S32(2.9)*32(2.9)	RIFENG	Adaptor	32	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T12(1.1)*1/2*12(1.1)	RIFENG	Adaptor	12	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T12(1.1)*1/2F*12(1.1)	RIFENG	Adaptor	12	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T12(1.1)*12(1.1)	RIFENG	Adaptor	12	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T12(1.1)*16(1.8)*12(1.1)	RIFENG	Adaptor	12*16*12	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012

Licence No: SMKP25630

Issued Date: 5 February 2022

This schedule supersedes all previously issued schedules



* For details of manufacture, refer to the licensee

The STANDARDSMARK is a registered certification trademark of SAI Global Pty Limited (A.C.N. 050 644 642) and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to the Schedule for the list of product models.

SCHEDULE TO STANDARDSMARK LICENCE

Model ID	Brand Name	Description	Nominal Size (DN)	PN	Product Application	Material Designation	Colour	Date Endorsed
PF3-T12(1.1)*20(1.9)*12(1.1)	RIFENG	Adaptor	12*20*12	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T12(1.1)*25(2.3)*12(1.1)	RIFENG	Adaptor	12*25*12	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T12(1.1)*3*4*12(1.1)	RIFENG	Adaptor	12	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T12(1.1)*3*4*12(1.1)	RIFENG	Adaptor	12	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T12(1.1)*3*8*12(1.1)	RIFENG	Adaptor	12	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T12(1.1)*3*8*12(1.1)	RIFENG	Adaptor	12	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T12(1.1)*3*8*12(1.1)	RIFENG	Adaptor	12	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T16(1.8)*1*2*16(1.8)	RIFENG	Adaptor	16	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T16(1.8)*1*2*16(1.8)	RIFENG	Adaptor	16	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T16(1.8)*1*2*16(1.8)	RIFENG	Adaptor	16	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T16(1.8)*12(1.1)*12(1.1)	RIFENG	Adaptor	16*12*12	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T16(1.8)*12(1.1)*16(1.8)	RIFENG	Adaptor	16*12*16	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T16(1.8)*16(1.8)*12(1.1)	RIFENG	Adaptor	16*16*12	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T16(1.8)*16(1.8)*16(1.8)	RIFENG	Adaptor	16	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T16(1.8)*20(1.9)*12(1.1)	RIFENG	Adaptor	16*20*12	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T16(1.8)*20(1.9)*16(1.8)	RIFENG	Adaptor	16*20*16	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T16(1.8)*25(2.3)*16(1.8)	RIFENG	Adaptor	16*25*16	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T16(1.8)*3*4*16(1.8)	RIFENG	Adaptor	16	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T16(1.8)*3*4*16(1.8)	RIFENG	Adaptor	16	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T16(1.8)*3*8*16(1.8)	RIFENG	Adaptor	16	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T16(1.8)*3*8*16(1.8)	RIFENG	Adaptor	16	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T16(1.8)*3*8*16(1.8)	RIFENG	Adaptor	16	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T16(1.8)*32(2.9)*16(1.8)	RIFENG	Adaptor	16*32*16	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T20(1.9)*1*20(1.9)	RIFENG	Adaptor	20	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T20(1.9)*1*2*20(1.9)	RIFENG	Adaptor	20	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T20(1.9)*1*2*20(1.9)	RIFENG	Adaptor	20	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T20(1.9)*1*2*20(1.9)	RIFENG	Adaptor	20	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T20(1.9)*12(1.1)*20(1.9)	RIFENG	Adaptor	20*12*20	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T20(1.9)*16(1.8)*16(1.8)	RIFENG	Adaptor	20*16*16	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T20(1.9)*16(1.8)*16(1.8)	RIFENG	Adaptor	20*16*20	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T20(1.9)*16(1.8)*20(1.9)	RIFENG	Adaptor	20	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T20(1.9)*1*1*20(1.9)	RIFENG	Adaptor	20	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T20(1.9)*20(1.9)*16(1.8)	RIFENG	Adaptor	20*20*16	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T20(1.9)*20(1.9)*20(1.9)	RIFENG	Adaptor	20	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T20(1.9)*25(2.3)*16(1.8)	RIFENG	Adaptor	20*25*16	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T20(1.9)*25(2.3)*20(1.9)	RIFENG	Adaptor	20*25*20	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T20(1.9)*3*4*20(1.9)	RIFENG	Adaptor	20	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T20(1.9)*3*4*20(1.9)	RIFENG	Adaptor	20	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T20(1.9)*3*4*20(1.9)	RIFENG	Adaptor	20	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T20(1.9)*32(2.9)*20(1.9)	RIFENG	Adaptor	20*32*20	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T25(2.3)*1*25(2.3)	RIFENG	Adaptor	25	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T25(2.3)*1*2*25(2.3)	RIFENG	Adaptor	25	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T25(2.3)*1*2*25(2.3)	RIFENG	Adaptor	25	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T25(2.3)*1*2*25(2.3)	RIFENG	Adaptor	25	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T25(2.3)*12(1.1)*25(2.3)	RIFENG	Adaptor	25*12*25	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T25(2.3)*16(1.8)*16(1.8)	RIFENG	Adaptor	25*16*16	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T25(2.3)*16(1.8)*20(1.9)	RIFENG	Adaptor	25*16*20	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T25(2.3)*16(1.8)*20(1.9)	RIFENG	Adaptor	25*16*25	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T25(2.3)*16(1.8)*25(2.3)	RIFENG	Adaptor	25	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T25(2.3)*1*1*25(2.3)	RIFENG	Adaptor	25	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T25(2.3)*20(1.9)*16(1.8)	RIFENG	Adaptor	25*20*16	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012

Licence No: SMKP25630

Issued Date: 5 February 2022

This schedule supersedes all previously issued schedules



* For details of manufacture, refer to the licensee

The STANDARDSMARK is a registered certification trademark of SAI Global Pty Limited (A.C.N. 050 644 642) and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to the Schedule for the list of product models.

SCHEDULE TO STANDARDSMARK LICENCE

Model ID	Brand Name	Description	Nominal Size (DN)	PN	Product Application	Material Designation	Colour	Date Endorsed
PF3-T25(2.3)*20(1.9)*20(1.9)	RIFENG	Adaptor	25*20*20	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T25(2.3)*20(1.9)*25(2.3)	RIFENG	Adaptor	25*20*25	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T25(2.3)*25(2.3)*16(1.8)	RIFENG	Adaptor	25*25*16	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T25(2.3)*25(2.3)*20(1.9)	RIFENG	Adaptor	25*25*20	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T25(2.3)*25(2.3)*25(2.3)	RIFENG	Adaptor	25	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T25(2.3)*3/4*25(2.3)	RIFENG	Adaptor	25	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T25(2.3)*3/4*25(2.3)	RIFENG	Adaptor	25	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T25(2.3)*32(2.9)*25(2.3)	RIFENG	Adaptor	25*32*25	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T32(2.9)*1*32(2.9)	RIFENG	Adaptor	32	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T32(2.9)*1*32(2.9)	RIFENG	Adaptor	32	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T32(2.9)*1*32(2.9)	RIFENG	Adaptor	32	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T32(2.9)*20(1.9)*20(1.9)	RIFENG	Adaptor	32*20*20	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T32(2.9)*20(1.9)*25(2.3)	RIFENG	Adaptor	32*20*25	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T32(2.9)*20(1.9)*32(2.9)	RIFENG	Adaptor	32*20*32	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T32(2.9)*25(2.3)*20(1.9)	RIFENG	Adaptor	32*25*20	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T32(2.9)*25(2.3)*25(2.3)	RIFENG	Adaptor	32*25*25	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T32(2.9)*25(2.3)*32(2.9)	RIFENG	Adaptor	32*25*32	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T32(2.9)*3/4*32(2.9)	RIFENG	Adaptor	32	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T32(2.9)*3/4*32(2.9)	RIFENG	Adaptor	32	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T32(2.9)*32(2.9)*20(1.9)	RIFENG	Adaptor	32*32*20	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T32(2.9)*32(2.9)*25(2.3)	RIFENG	Adaptor	32*32*25	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012
PF3-T32(2.9)*32(2.9)*32(2.9)	RIFENG	Adaptor	32	600 KPa	hot and cold water	Copper Alloy	N/A	22 Aug 2012

End of Record

Licence No: SMKP25630

Issued Date: 5 February 2022

This schedule supersedes all previously issued schedules



* For details of manufacture, refer to the licensee

The STANDARDSMARK is a registered certification trademark of SAI Global Pty Limited (A.C.N. 050 644 642) and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to the Schedule for the list of product models.